





## EVAPORATIVE AIR COOLING.



Evaporative air cooling is the most efficient and environment-friendly cooling technology which works on the principle of the heat absorption by water evaporation.


- A pump circulates water from the tank on to a cooling pad making it wet.
- A fan/blower draws hot air from outside the unit and forces it through the moistened pad.
- As the air passes through the wet pad it gets cooled by evaporation.
- The blower and motor are sized and designed to deliver the appropriate airflow.



## BENEFITS OF SARAH COOL AIR COOLERS



Runs on operating  
cost of a fan



Also works on  
inverter power.



Use it inside  
use it outside.



Delivers fresh  
fitted cool air.


## COOLING TIPS



Switch on to  
'cooling mode.'



Ensure sufficient  
water in the tank.



Keep window/door  
open for cross ventilation.



Replace the cooling  
pads annually.





## FEATURES OF PLASTIC COOLERS



3 speeds air control



High efficiency cooling pads



Large water tank capacity (90L)



Whisper-quiet performance



For rooms up to 12m<sup>3</sup>/400ft.<sup>3x</sup>



Strong wheels for easy mobility



## Alexa Tower Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (90L)



For rooms up to 12m<sup>3</sup>/400ft.<sup>3x</sup>

## Technical Specifications

|                              |                  |
|------------------------------|------------------|
| Voltage                      | 220VOLT AC 50 Hz |
| Mains cord                   | 3-PIN, 2.7 MTR   |
| RPM                          | 1400             |
| Blower/ Fan                  | Plastic Fan      |
| Speed Settings               | 3 Speed          |
| Pump Type                    | Submersible      |
| Water Level Indicator        | Yes              |
| Water Inlet                  | Yes              |
| Water Draining               | Yes              |
| Motor Mounting               | On Iron Frame    |
| Pad Replacement              | Easy             |
| Motor Replacement            | Easy             |
| Switch Replacement           | Easy             |
| Noise (db)                   | Low              |
| Air Delivery (m3/hr) Max     | 2500 Approx      |
| Air Throw (ft.) - @0.5 m/sec | 25 Approx        |
| Cooling Area (Sq.ft)         | 400              |
| Cooling Media                | Honeycomb Pad    |
| Water Tank Capacity (ltr.)   | 90               |
| Blower/ Fan Diameter (inch)  | 16"              |
| Product Dimension (L*W*H)mm  | 610 x 400 x 1220 |
| Castors                      | Yes              |

M.R.P ₹ 9499/-





## Alexa Pro Tower Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (90L)



For rooms up to 12m<sup>3</sup>/400ft.<sup>3x</sup>

## Technical Specifications

|                              |                  |
|------------------------------|------------------|
| Voltage                      | 220VOLT AC 50 Hz |
| Mains cord                   | 3-PIN, 2.7 MTR   |
| RPM                          | 1400             |
| Blower/ Fan                  | Plastic Fan      |
| Speed Settings               | 3 Speed          |
| Pump Type                    | Submersible      |
| Water Level Indicator        | Yes              |
| Water Inlet                  | Yes              |
| Water Draining               | Yes              |
| Motor Mounting               | On Iron Frame    |
| Pad Replacement              | Easy             |
| Motor Replacement            | Easy             |
| Switch Replacement           | Easy             |
| Noise (db)                   | Low              |
| Air Delivery (m3/hr) Max     | 2500 Approx      |
| Air Throw (ft.) - @0.5 m/sec | 25 Approx        |
| Cooling Area (Sq.ft)         | 400              |
| Cooling Media                | Honeycomb Pad    |
| Water Tank Capacity (ltr.)   | 90               |
| Blower/ Fan Diameter (inch)  | 16"              |
| Product Dimension (L*W*H)mm  | 610 x 400 x 1220 |
| Castors                      | Yes              |

M.R.P ₹ 9999/-





## Delta Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (55L)



For rooms up to 12m<sup>3</sup>/400ft.<sup>3x</sup>

## Technical Specifications

|                              |                  |
|------------------------------|------------------|
| Voltage                      | 220VOLT AC 50 Hz |
| Mains cord                   | 3-PIN, 2.7 MTR   |
| RPM                          | 1400             |
| Blower/ Fan                  | Plastic Fan      |
| Speed Settings               | 3 Speed          |
| Pump Type                    | Submersible      |
| Water Level Indicator        | Yes              |
| Water Inlet                  | Yes              |
| Water Draining               | No               |
| Motor Mounting               | On Iron Frame    |
| Pad Replacement              | Easy             |
| Motor Replacement            | Easy             |
| Switch Replacement           | Easy             |
| Noise (db)                   | Low              |
| Air Delivery (m3/hr) Max     | 2500 Approx      |
| Air Throw (ft.) - @0.5 m/sec | 25 Approx        |
| Cooling Area (Sq.ft)         | 400              |
| Cooling Media                | Woodwool Pad     |
| Water Tank Capacity (ltr.)   | 55               |
| Blower/ Fan Diameter (inch)  | 16"              |
| Product Dimension (L*W*H)mm  | 610 x 480 x 1000 |
| Castors                      | Yes              |

M.R.P ₹ 7999/-





## Zeta Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (65L)



For rooms up to 12m<sup>3</sup>/400ft.<sup>3x</sup>

## Technical Specifications

|                              |                  |
|------------------------------|------------------|
| Voltage                      | 220VOLT AC 50 Hz |
| Mains cord                   | 3-PIN, 2.7 MTR   |
| RPM                          | 1400             |
| Blower/ Fan                  | Plastic Fan      |
| Speed Settings               | 3 Speed          |
| Pump Type                    | Submersible      |
| Water Level Indicator        | Yes              |
| Water Inlet                  | Yes              |
| Water Draining               | No               |
| Motor Mounting               | On Iron Frame    |
| Pad Replacement              | Easy             |
| Motor Replacement            | Easy             |
| Switch Replacement           | Easy             |
| Noise (db)                   | Low              |
| Air Delivery (m3/hr) Max     | 2500 Approx      |
| Air Throw (ft.) - @0.5 m/sec | 25 Approx        |
| Cooling Area (Sq.ft)         | 400              |
| Cooling Media                | Woodwool Pad     |
| Water Tank Capacity (ltr.)   | 65               |
| Blower/ Fan Diameter (inch)  | 18"              |
| Product Dimension (L*W*H)mm  | 610 x 480 x 1100 |
| Castors                      | Yes              |

M.R.P ₹ 8749/-



## Junior Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (20L)



For rooms up to 6m<sup>3</sup>/200ft.<sup>3x</sup>

## Technical Specifications

|                              |                  |
|------------------------------|------------------|
| Voltage                      | 220VOLT AC 50 Hz |
| Mains cord                   | 3-PIN, 2.7 MTR   |
| RPM                          | 1400             |
| Blower/ Fan                  | Plastic Fan      |
| Speed Settings               | 3 Speed          |
| Pump Type                    | Submersible      |
| Water Level Indicator        | Yes              |
| Water Inlet                  | Yes              |
| Water Draining               | No               |
| Motor Mounting               | On Iron Frame    |
| Pad Replacement              | Easy             |
| Motor Replacement            | Easy             |
| Switch Replacement           | Easy             |
| Noise (db)                   | Low              |
| Air Delivery (m3/hr) Max     | 2000 Approx      |
| Air Throw (ft.) - @0.5 m/sec | 20 Approx        |
| Cooling Area (Sq.ft)         | 200              |
| Cooling Media                | Honeycomb Pad    |
| Water Tank Capacity (ltr.)   | 20               |
| Blower/ Fan Diameter (inch)  | 12"              |
| Product Dimension (L*W*H)mm  | 420 x 350 x 750  |
| Castors                      | Yes              |

M.R.P ₹ 4499/-



## FEATURES OF FIBER COOLERS



3 speeds air control



High efficiency cooling pads



Large water tank capacity (90L)



Whisper-quiet performance



For rooms up to 23m<sup>3</sup>/800ft.<sup>3x</sup>



Strong wheels for easy mobility







## Triangle C Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (90L)



For rooms up to 23m<sup>3</sup>/800ft.<sup>3x</sup>

## Technical Specifications

|                              |                  |
|------------------------------|------------------|
| Voltage                      | 220VOLT AC 50 Hz |
| Mains cord                   | 3-PIN, 2.7 MTR   |
| RPM                          | 1400             |
| Blower/ Fan                  | Plastic Fan      |
| Speed Settings               | 3 Speed          |
| Pump Type                    | Submersible      |
| Water Level Indicator        | Yes              |
| Water Inlet                  | Yes              |
| Water Draining               | Yes              |
| Motor Mounting               | On Iron Frame    |
| Pad Replacement              | Easy             |
| Motor Replacement            | Easy             |
| Switch Replacement           | Easy             |
| Noise (db)                   | Low              |
| Air Delivery (m3/hr) Max     | 3500 Approx      |
| Air Throw (ft.) - @0.5 m/sec | 35 Approx        |
| Cooling Area (Sq.ft)         | 800              |
| Cooling Media                | Honeycomb Pad    |
| Water Tank Capacity (ltr.)   | 90               |
| Blower/ Fan Diameter (inch)  | 18"              |
| Product Dimension (L*W*H)mm  | 740 x 500 x 1270 |
| Castors                      | Yes              |

M.R.P ₹ 12999/-





## ST 90C Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (90L)



For rooms up to 23m<sup>3</sup>/800ft.<sup>3x</sup>

### Technical Specifications

|                             |                  |
|-----------------------------|------------------|
| Voltage                     | 220VOLT AC 50 Hz |
| Mains cord                  | 3-PIN, 2.7 MTR   |
| RPM                         | 1400             |
| Blower/ Fan                 | Plastic Fan      |
| Speed Settings              | 3 Speed          |
| Pump Type                   | Submersible      |
| Water Level Indicator       | Yes              |
| Water Inlet                 | Yes              |
| Water Draining              | Yes              |
| Motor Mounting              | On Iron Frame    |
| Pad Replacement             | Easy             |
| Motor Replacement           | Easy             |
| Switch Replacement          | Easy             |
| Noise (db)                  | Low              |
| Air Delivery (m3/hr) Max    | 3500 Approx      |
| Air Throw (ft.)- @0.5 m/sec | 35 Approx        |
| Cooling Area (Sq.ft)        | 800              |
| Cooling Media               | Honeycomb Pad    |
| Water Tank Capacity (ltr.)  | 90               |
| Blower/ Fan Diameter (inch) | 18"              |
| Product Dimension (L*W*H)mm | 645 x 460 x 1260 |
| Castors                     | Yes              |

M.R.P ₹ 12749/-







## ST 90B Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (90L)



For rooms up to 23m<sup>3</sup>/800ft.<sup>3x</sup>

## Technical Specifications

|                             |                  |
|-----------------------------|------------------|
| Voltage                     | 220VOLT AC 50 Hz |
| Mains cord                  | 3-PIN, 2.7 MTR   |
| RPM                         | 1400             |
| Blower/ Fan                 | Plastic Fan      |
| Speed Settings              | 3 Speed          |
| Pump Type                   | Submersible      |
| Water Level Indicator       | Yes              |
| Water Inlet                 | Yes              |
| Water Draining              | Yes              |
| Motor Mounting              | On Iron Frame    |
| Pad Replacement             | Easy             |
| Motor Replacement           | Easy             |
| Switch Replacement          | Easy             |
| Noise (db)                  | Low              |
| Air Delivery (m3/hr) Max    | 3500 Approx      |
| Air Throw (ft.)- @0.5 m/sec | 35 Approx        |
| Cooling Area (Sq.ft)        | 800              |
| Cooling Media               | Honeycomb Pad    |
| Water Tank Capacity (ltr.)  | 90               |
| Blower/ Fan Diameter (inch) | 18"              |
| Product Dimension (L*W*H)mm | 645 x 460 x 1260 |
| Castors                     | Yes              |

M.R.P ₹ 11999/-







## Triangle 90B Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (90L)



For rooms up to 23m<sup>3</sup>/800ft.<sup>3x</sup>

## Technical Specifications

|                             |                  |
|-----------------------------|------------------|
| Voltage                     | 220VOLT AC 50 Hz |
| Mains cord                  | 3-PIN, 2.7 MTR   |
| RPM                         | 1400             |
| Blower/ Fan                 | Plastic Fan      |
| Speed Settings              | 3 Speed          |
| Pump Type                   | Submersible      |
| Water Level Indicator       | Yes              |
| Water Inlet                 | Yes              |
| Water Draining              | Yes              |
| Motor Mounting              | On Iron Frame    |
| Pad Replacement             | Easy             |
| Motor Replacement           | Easy             |
| Switch Replacement          | Easy             |
| Noise (db)                  | Low              |
| Air Delivery (m3/hr) Max    | 3500 Approx      |
| Air Throw (ft.)- @0.5 m/sec | 35 Approx        |
| Cooling Area (Sq.ft)        | 800              |
| Cooling Media               | Honeycomb Pad    |
| Water Tank Capacity (ltr.)  | 90               |
| Blower/ Fan Diameter (inch) | 18"              |
| Product Dimension (L*W*H)mm | 740 x 500 x 1270 |
| Castors                     | Yes              |

M.R.P ₹ 12249/-





## ST 55 Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (55L)



For rooms up to 12m<sup>3</sup>/400ft.<sup>3x</sup>

### Technical Specifications

|                              |                  |
|------------------------------|------------------|
| Voltage                      | 220VOLT AC 50 Hz |
| Mains cord                   | 3-PIN, 2.7 MTR   |
| RPM                          | 1400             |
| Blower/ Fan                  | Plastic Fan      |
| Speed Settings               | 3 Speed          |
| Pump Type                    | Submersible      |
| Water Level Indicator        | Yes              |
| Water Inlet                  | Yes              |
| Water Draining               | Yes              |
| Motor Mounting               | On Iron Frame    |
| Pad Replacement              | Easy             |
| Motor Replacement            | Easy             |
| Switch Replacement           | Easy             |
| Noise (db)                   | Low              |
| Air Delivery (m3/hr) Max     | 2500 Approx      |
| Air Throw (ft.) - @0.5 m/sec | 25 Approx        |
| Cooling Area (Sq.ft)         | 400              |
| Cooling Media                | Honeycomb Pad    |
| Water Tank Capacity (ltr.)   | 55               |
| Blower/ Fan Diameter (inch)  | 16"              |
| Product Dimension (L*W*H)mm  | 610 x 420 x 1260 |
| Castors                      | Yes              |

M.R.P ₹ 11249/-





## Queen Air Cooler



High efficiency cooling pads



Whisper-quiet performance



Strong wheels for easy mobility



3 speeds air control



Large water tank capacity (75L)



For rooms up to 12m<sup>3</sup>/800ft.<sup>3x</sup>

## Technical Specifications

|                             |                  |
|-----------------------------|------------------|
| Voltage                     | 220VOLT AC 50 Hz |
| Mains cord                  | 3-PIN, 2.7 MTR   |
| RPM                         | 1400             |
| Blower/ Fan                 | Plastic Fan      |
| Speed Settings              | 3 Speed          |
| Pump Type                   | Submersible      |
| Water Level Indicator       | Yes              |
| Water Inlet                 | Yes              |
| Water Draining              | No               |
| Motor Mounting              | On Iron Frame    |
| Pad Replacement             | Easy             |
| Motor Replacement           | Easy             |
| Switch Replacement          | Easy             |
| Noise (db)                  | Low              |
| Air Delivery (m3/hr) Max    | 3500 Approx      |
| Air Throw (ft.)- @0.5 m/sec | 35 Approx        |
| Cooling Area (Sq.ft)        | 800              |
| Cooling Media               | Honeycomb Pad    |
| Water Tank Capacity (ltr.)  | 75               |
| Blower/ Fan Diameter (inch) | 18"              |
| Product Dimension (L*W*H)mm | 610 x 610 x 1150 |
| Castors                     | Yes              |

M.R.P ₹10999/-







Marketed & Manufactured By  
SARAH COOLING

Address: F-651,652, UPSIDC Industrial Area,  
Phase-II, MG Road, Hapur -201015 (U.P.)